Printing date 04/05/2021

*

Reviewed on 04/05/2021

nting date 04/05/2021	
Identification	
Product identifier	THIMMIN .
Trade name: <u>Sodium Perchlorate</u> <u>Solution</u>	OFITE .
• Article number: 285-13 • Application of the substance / the mixture Laboratory chemicals	
Details of the supplier of the safety data sheet Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683	
Information department: techservices@ofite.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
P Hazard(s) identification	
Classification of the substance or mixture GHS03 Flame over circle	
<i>GHS03 Flame over circle</i> <i>Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer.</i>	ted exposure.
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. GHS08 Health hazard	ted exposure.
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. GHS08 Health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated	ted exposure.
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. GHS08 Health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	ted exposure.
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. GHS08 Health hazard STOT RE 2 H373 May cause damage to organs through prolonged or repeated GHS07 Skin Irrit. 2 H315 Causes skin irritation.	
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. Image: Constraint of the strength of the strengt of the strength of the strength of the strengt of the	
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. Image: Construction of the strength of	
GHS03 Flame over circle Ox. Liq. 1 H271 May cause fire or explosion; strong oxidizer. Image: Constraint of the strength of the strengt of the strength of the strength of the strengt of the	

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate Solution

(Contd. of page 1	l)
· Hazard statements	
May cause fire or explosion; strong oxidizer.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause respiratory irritation.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Keep/Store away from clothing and other combustible materials	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
Wear fire/flame resistant/retardant clothing.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.	<i>)</i> .
If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
2 Fire = 0	
Reactivity = 2	
The substance possesses oxidizing properties.	
· HMIS-ratings (scale 0 - 4)	
· IIMIS-raings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 0 $Fire = 0$	
REACTIVITY 2 Reactivity = 2	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	
(Contd. on page 3	US —

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate

Solution

(Contd. of page 2)

69.044%

30.956%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7791-07-3 Sodium Perchlorate Monohydrate

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- *Ensure adequate ventilation.* • *Reference to other sections*
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate Solution

 (Contd. of page 3)

 • Protective Action Criteria for Chemicals

 • PAC-1:

 CAS: 7791-07-3
 Sodium Perchlorate Monohydrate

 • PAC-2:

 CAS: 7791-07-3
 Sodium Perchlorate Monohydrate

 • PAC-3:

 CAS: 7791-07-3
 Sodium Perchlorate Monohydrate

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- \cdot General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate Solution

(Contd. of page 4)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	hamiaal nuon autiag	
Information on basic physical and of General Information	snemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
	Explosive when mixed with combustible material.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.5325 g/cm ³ (12.78871 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

_____US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate Solution

		(Contd. of page
Solubility in / Miscibility with	1	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	31.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	69.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 3,042 mg/kg (rat)

CAS: 7791-07-3 Sodium Perchlorate Monohydrate

Oral LD50 500 mg/kg (ATE)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 7)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate

Solution

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- $\cdot \textit{Recommendation: Disposal must be made according to official regulations.}$
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN3139
UN proper shipping name	
DOT	Oxidizing liquid, n.o.s. (Sodium perchlorate)
IMDG, IATA	OXIDIZING LIQUID, N.O.S. (SODIUM PERCHLORATE)
Transport hazard class(es) DOT	
Class	5.1 Oxidizing substances

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate Solution

	(Contd. of page
Label	5.1
IMDG, IATA	
51	
Class	5.1 Oxidizing substances
Label	5.1
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Oxidizing substances
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-Q B
Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds.
Sog. og anton Court	SG49 Stow "separated from" SGG6-cyanides
	SG60 Stow "separated from" SGG16-peroxides
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 kg
	On cargo aircraft only: 25 kg
IMDG	
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3139 OXIDIZING LIQUID, N.O.S. (SODIU)
	PERCHLORATE), 5.1, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

ACTIVE (Contd. on page 9)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate

Solution

(Contd. of page 8)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sodium Perchlorate Monohydrate · Hazard statements May cause fire or explosion; strong oxidizer. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep/Store away from clothing and other combustible materials Take any precaution to avoid mixing with combustibles. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Wear fire/flame resistant/retardant clothing. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 10)

⁻ US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sodium Perchlorate

Solution

(Contd. of page 9)

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision Revision 0.0, 03-17-2021: Creation date for SDS. STN Revision 0.2, updated pH Information. STN Revision 0.1, 5-04-2015: revised to correct emergency contact and technical contact information. STN Revision 0.2, 06-23-2015: Corrected DOT information STN Creation date for SDS 09-13-2014. STN 04/05/2021 / 1.1 · Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Ox. Liq. 1: Oxidizing liquids – Category 1 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 • * Data compared to the previous version altered.