Printing date 04/05/2021

*

Reviewed on 04/05/2021

Identification	
· Product identifier	Tulunum
• Trade name: <u>Versenate Hardness</u> <u>Buffer Solution</u>	ÔFITE .
• Article number: 205-05-10 • Application of the substance / the mixture Laboratory chemicals	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8683	
· Information department:	
techservices@ofite.com Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Classification of the substance or mixture	
· Classification of the substance or mixture	
Classification of the substance or mixture	
Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage.	
Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. 	e Globally Harmonized System (Gl
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. STOT SE 3 H335 May cause respiratory irritation. Label elements The product is classified and labeled according to the 	e Globally Harmonized System (Gl
 Classification of the substance or mixture GHS05 Corrosion Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H302 Harmful if swallowed. STOT SE 3 H335 May cause respiratory irritation. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms Corrosion 	e Globally Harmonized System (Gl

оj ıg Ammonium Hydroxide Ammonium Chloride, Reagent ACS Grade

· Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.

(Contd. on page 2)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

CAS: 7732-18-5 Water

	(C	Contd. of page 1
Precautionary sta		
Do not breathe du		
Wash thoroughly		
	or smoke when using this product.	
•	s or in a well-ventilated area.	
	loves/protective clothing/eye protection/face protection.	
	ll a poison center/doctor if you feel unwell.	
	se mouth. Do NOT induce vomiting.	
	<i>r): Take off immediately all contaminated clothing. Rinse skin with water/shower.</i>	
	move person to fresh air and keep comfortable for breathing.	d again to da
v .	cautiously with water for several minutes. Remove contact lenses, if present and	a easy to ao
Continue rinsing.	a poison center/doctor.	
	t (see on this label).	
	ed clothing before reuse.	
	ntilated place. Keep container tightly closed.	
Store locked up.	ninaleu place. Reep container agnay closed.	
-	nts/container in accordance with local/regional/national/international regulations.	
· Classification sys		
· NFPA ratings (sc		
HMIS-ratings (sc	ealth = *3 ire = 0 eactivity = 0 nd vPvB assessment	
· Results of PBT ar	lDle.	
• Results of PBT an • PBT: Not applica		
• Results of PBT an • PBT: Not applica		
• Results of PBT an • PBT: Not applica • vPvB: Not applica	able.	
• Results of PBT an • PBT: Not applica • vPvB: Not applica		
Results of PBT and PBT: Not applicate vPvB: Not applicate Composition/in Chemical characte	able.	
Results of PBT and PBT: Not applica vPvB: Not applica Composition/in Chemical charact Description: Mixt	able. nformation on ingredients terization: Mixtures ture of the substances listed below with nonhazardous additions.	
 Results of PBT and PBT: Not application vPvB: Not application Composition/in Chemical charaction Description: Mixtion Dangerous composition 	able. nformation on ingredients terization: Mixtures ture of the substances listed below with nonhazardous additions.	53.3%
Results of PBT and PBT: Not applica vPvB: Not applica Composition/in Chemical charact Description: Mixt Dangerous compo CAS: 1336-21-6	able. nformation on ingredients terization: Mixtures ture of the substances listed below with nonhazardous additions. onents:	53.3%

(Contd. on page 3)

39.66%

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

. Personal precauti	ons, protective equipment and emergency procedures	
Mount respiratory		
- · ·	quipment. Keep unprotected persons away.	
	ecautions: Do not allow to enter sewers/ surface or ground water.	
	erial for containment and cleaning up:	
Absorb with liquid	<i>l-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing a		
	ated material as waste according to item 13.	
Ensure adequate v		
· Reference to othe		
v	nformation on safe handling.	
	information on personal protection equipment.	
	disposal information.	
	Criteria for Chemicals	
· PAC-1:		
CAS: 1336-21-6	Ammonium Hydroxide	61 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	20 mg/m ³
· PAC-2:		
CAS: 1336-21-6	Ammonium Hydroxide	330 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	54 mg/m ³
	1	(Contd. on page 4)

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

(Contd. of page 3)

CAS: 1336-21-6	Ammonium Hydroxide	2,300 ppm
CAS: 12125-02-9	Ammonium Chloride, Reagent ACS Grade	330 mg/m³

7 Handling and storage

· Handling:

· PAC-3:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 12125-02-9 Ammonium Chloride, Reagent ACS Grade

REL Short-term value: 20 mg/m³

Long-term value: 10 mg/m³

- TLV Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls

· Personal protective equipment:

- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

(Contd. of page 4)

US

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Ammonia-like	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

		(Contd. of page
• Density at 20 •C (68 •F):	0.97108 g/cm³ (8.10366 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	39.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 902 mg/kg

CAS: 1336-21-6 Ammonium Hydroxide

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

 \cdot Sensitization: No sensitizing effects known.

 $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN2672	
· UN proper shipping name		
$\cdot DOT$	Ammonia solution	
·IMDG	AMMONIA SOLUTION, MARINE POLLUTANT	

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

ΙΑΤΑ	AMMONIA SOLUTION
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG	
Class Label	8 Corrosive substances 8
IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	111
Environmental hazards:	Product contains environmentally hazardous substance Ammonium Hydroxide
Marine pollutant:	Yes Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SW3 Shall be transported under temperature control. SG35 Stow "separated from" SGG1-acids
Segregation Code	5055 Slow separated from 5001-actus
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name:	Versenate Hardness
	Buffer Solution

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 2672 AMMONIA SOLUTION, 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for	the substance or mixture
No further relevant information available.	
· Sara	
• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 1336-21-6 Ammonium Hydroxide	
· TSCA (Toxic Substances Control Act):	
Ammonium Hydroxide	ACTIVE
Water	ACTIVE
Ammonium Chloride, Reagent ACS Grade	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the incredients is listed	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10) US

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

· Hazard pictograms	(Contd. of page 9)
· Hazara pictograms	
\land	
GHS05 GHS07	
· Signal word Danger	
• Hazard-determining components of labeling: Ammonium Hydroxide	
Ammonium Hydroxide Ammonium Chloride, Reagent ACS Grade	
· Hazard statements	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause respiratory irritation.	
· Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	0
Dispose of contents/container in accordance with local/regional/national/international regulation • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	s.
• Chemicul sujely assessment: A Chemical sujely Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 0.0, 03-17-2021: Creation date for SDS. STN Revision 0.1, 05-05-2015: revised to correct emergency contact and information dept contact. STN Revision 0.2, 11-08-2018: updated formulation. STN 04/05/2021 / 1.1
 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Versenate Hardness Buffer Solution

(Contd. of page 10)

US

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.