

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

## 1 Identification

- **Product identifier**
- **Trade name:** Versenate Hardness Titrating Solution  
W/AF 1 ml = 400 mg/L Ca & Mg
- **Article number:** 205-09-1
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
OFI Testing Equipment Inc.  
11302 Steeplecrest Dr.  
Houston, TX 77065  
(877) 837-8683
- **Information department:** techservices@ofite.com
- **Emergency telephone number:**  
INFOTRAC USA - CANADA: 1-800-535-5053  
INTERNATIONAL: 1-352-323-3500



## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Not Applicable
- **Hazard pictograms** Not Applicable
- **Signal word** Not Applicable
- **Hazard statements** Not Applicable
- **Precautionary statements**  
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 2 | Health = 2     |
| FIRE       | 1 | Fire = 1       |
| REACTIVITY | 0 | Reactivity = 0 |

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### Dangerous components:

|              |                                    |         |
|--------------|------------------------------------|---------|
| CAS: 57-55-6 | 1,2 Propanediol (Propylene Glycol) | 35.809% |
|--------------|------------------------------------|---------|

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name: Versenate Hardness Titrating Solution**  
**W/AF 1 ml = 400 mg/L Ca & Mg**

(Contd. of page 1)

## · Table of Nonhazardous Ingredients

|                |  |         |
|----------------|--|---------|
| CAS: 6381-92-6 | Ethylenedinitrilotetraacetic acid, disodium salt | 0.368%  |
| CAS: 7732-18-5 | Water  | 63.824% |

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

|                |  |          |
|----------------|--|----------|
| CAS: 57-55-6   | 1,2 Propanediol (Propylene Glycol)               | 30 mg/m3 |
| CAS: 6381-92-6 | Ethylenedinitrilotetraacetic acid, disodium salt | 30 mg/m3 |

### · PAC-2:

|                |  |             |
|----------------|--|-------------|
| CAS: 57-55-6   | 1,2 Propanediol (Propylene Glycol)               | 1,300 mg/m3 |
| CAS: 6381-92-6 | Ethylenedinitrilotetraacetic acid, disodium salt | 330 mg/m3   |

### · PAC-3:

|              |                                    |             |
|--------------|------------------------------------|-------------|
| CAS: 57-55-6 | 1,2 Propanediol (Propylene Glycol) | 7,900 mg/m3 |
|--------------|------------------------------------|-------------|

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name:** Versenate Hardness Titrating Solution  
W/AF 1 ml = 400 mg/L Ca & Mg

CAS: 6381-92-6 Ethylenedinitrilotetraacetic acid, disodium salt

(Contd. of page 2)

2,000 mg/m<sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 57-55-6 1,2 Propanediol (Propylene Glycol)

|     |  |
|-----|--|
| TWA | Short-term value: 10 mg/m <sup>3</sup><br>weel |
|-----|--|

|      |                                       |
|------|---------------------------------------|
| WEEL | Long-term value: 10 mg/m <sup>3</sup> |
|------|---------------------------------------|

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.
- **Body protection:** Protective work clothing

US

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name:** Versenate Hardness Titrating Solution  
**W/AF 1 ml = 400 mg/L Ca & Mg**

(Contd. of page 3)

### 9 Physical and chemical properties

|  |   |
|--|---|
| · <b>Information on basic physical and chemical properties</b> |   |
| · <b>General Information</b>                                   |   |
| · <b>Appearance:</b>   |   |
| <b>Form:</b>   | Liquid  |
| <b>Color:</b>  | Clear   |
| · <b>Odor:</b>   | Odorless                                      |
| · <b>Odor threshold:</b>                                       | Not determined.                               |
| · <b>pH-value:</b>   | Not determined.                               |
| · <b>Change in condition</b>                                   |   |
| <b>Melting point/Melting range:</b>                            | Undetermined.                                 |
| <b>Boiling point/Boiling range:</b>                            | Undetermined.                                 |
| · <b>Flash point:</b>  | 101 °C (214 °F)                               |
| · <b>Flammability (solid, gaseous):</b>                        | Not applicable.                               |
| · <b>Ignition temperature:</b>                                 |   |
| <b>Decomposition temperature:</b>                              | Not determined.                               |
| · <b>Auto igniting:</b>  | Product is not selfigniting.                  |
| · <b>Danger of explosion:</b>                                  | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                                     |   |
| <b>Lower:</b>  | Not determined.                               |
| <b>Upper:</b>  | Not determined.                               |
| · <b>Vapor pressure at 20 °C (68 °F):</b>                      | 23 hPa (17 mm Hg)                             |
| · <b>Density at 20 °C (68 °F):</b>                             | 1.03001 g/cm <sup>3</sup> (8.595 lbs/gal)     |
| · <b>Relative density</b>                                      | Not determined.                               |
| · <b>Vapor density</b>   | Not determined.                               |
| · <b>Evaporation rate</b>                                      | Not determined.                               |
| · <b>Solubility in / Miscibility with</b>                      |   |
| <b>Water:</b>  | Not miscible or difficult to mix.             |
| · <b>Partition coefficient (n-octanol/water):</b>              |   |
| Not determined.  |   |
| · <b>Viscosity:</b>  |   |
| <b>Dynamic:</b>  | Not determined.                               |
| <b>Kinematic:</b>  | Not determined.                               |
| · <b>Solvent content:</b>                                      |   |
| <b>Organic solvents:</b>                                       | 0.0 %   |
| <b>Water:</b>  | 63.8 %  |
| <b>VOC content:</b>  | 0.0 g/l / 0.00 lb/gal                         |
| · <b>Other information</b>                                     | No further relevant information available.    |

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name:** Versenate Hardness Titrating Solution  
W/AF 1 ml = 400 mg/L Ca & Mg

(Contd. of page 4)

- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**CAS: 57-55-6 1,2 Propanediol (Propylene Glycol)**

|                    |                           |                      |
|--------------------|---------------------------|----------------------|
| Oral               | LD50                      | 20000 mg/kg (rat)    |
| Dermal             | LD50                      | 20800 mg/kg (rabbit) |
| Irritation of skin | Skin Corrosion/Irritation | (Human)              |
| Irritation of eyes | Eye damage/eye irritation | (rabbit)             |

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name: Versenate Hardness Titrating Solution**  
**W/AF 1 ml = 400 mg/L Ca & Mg**

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADN, IMDG, IATA</b>  | Not regulated   |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADN, IATA</b>  | Not regulated   |
| · <b>IMDG</b>  | Not Regulated   |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADN, IMDG, IATA</b>  |                 |
| · <b>Class</b>   | Not regulated   |
| · <b>Packing group</b>   |                 |
| · <b>DOT, IMDG, IATA</b>   | Not regulated   |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Not regulated   |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 57-55-6 | 1,2 Propanediol (Propylene Glycol)

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name: Versenate Hardness Titrating Solution**  
**W/AF 1 ml = 400 mg/L Ca & Mg**

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** Not Applicable

· **Hazard pictograms** Not Applicable

· **Signal word** Not Applicable

· **Hazard statements** Not Applicable

· **Precautionary statements**

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

· **Date of preparation / last revision**

Revision 0.1, 05-01-2015: revised to correct emergency contact and information dept contact. STN

Creation date for SDS 07-15-2014 LS

Revision 0.2, 07-03-2017: Reviewed SDS. STN

07/03/2017 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

(Contd. on page 8)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/03/2017

Reviewed on 06/30/2017

**Trade name: Versenate Hardness Titrating Solution**  
**W/AF 1 ml = 400 mg/L Ca & Mg**PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit

(Contd. of page 7)

US