Printing date 04/05/2021

\*

Reviewed on 04/05/2021

I Identification            • Product identifier <ul> <li>• Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution</li> <li>• Article number: 230-08</li> <li>• Application of the substance / the mixture Laboratory chemicals</li> </ul> • Article number: Supplier: ORT leasing Equipment Inc. 11302 Steepleceves Dr. Housnon, TX 77065 (877) 837-8683 <ul> <li>• Information department: technical Coordinator Sterman Nebon sherman@ aquasolutions.org</li> <li>• Emergency telephone number: Chemitre: 800-424-9300 Cannet: elephone number: Chemitre: 800-424-9300 Cannet: 613-996-6666         </li> </ul> <ul> <li>• Classification of the substance or mixture</li> <li>• Classification of the substance or mixture</li> <li>• Offormation of the substance or mixture</li> <li>• Offormation of the substance or mixture</li> </ul> <ul>             Classification of the substance or mixture <li>• Offormation of the substance or mixture</li> <li>• Offormation of the substance or mixture</li> <li>• Offormation of the substance or extence:</li> </ul> Sine Corr. I A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes severes skin burns and eye damage. Signal word Danger              Hazard pictograms             Causes severe skin burns and eye damage. Signui		Kevieweu on 04/03/20
<ul> <li>Trade name: Sulfuric Acid 0.02 Normal (NNS0) NIST Traceable Solution</li> <li>Article number: 230-08</li> <li>Application of the substance / the mixture Laboratory chemicals</li> <li>Deatils of the supplier: of the safety data sheet</li> <li>Manufacturer/Supplier: OPI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065 (877) 837-8083</li> <li>Information department: techservices@Ofte.com Technical Coordinator Sherman Netson sherman@aquasolutions.org</li> <li>Emergency telephone number: Chemtre: 80:0-424-9300 Canutec: 613-996-6666</li> <li>Z Hazard(s) identification</li> <li>Classification of the substance or mixture</li> <li>Off So Corrosion</li> <li>Skin Corr. 1A H350 May cause cancer.</li> <li>Sin Corr. 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious ey damage.</li> <li>Istaet elements</li> <li>GHS0 S Terrosion</li> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> <li>Subert elements</li> <li>Substa Stabet elements The product is classified and labeled according to the Globally Harmonized System (GHS) Signal word Danger</li> <li>Hazard-determining components of labeling: Subjurk Acid 96 - 98%</li> <li>Hazard statements</li> <li>Causes severe skin burns and eye damage.</li> <li>Hazard-determining components of labeling: Subjurk Acid 96 - 98%</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard statements</li> <li>Hazard-determining components of labeling: May cause cancer.</li> <li>Precutionary statements</li> <li>Hourd statements</li> <li>Hazard statements</li></ul>	1 Identification	
(N/S0) NIST Traceable Solution• Article number: 23:0-08• Application of the substance / the mixture Laboratory chemicals• Details of the substance / the mixture Laboratory chemicals• Details of the subplier• OPI Testing Equipment Inc.11302 Steeplecreat Dr.Houston, TX 77065(K77) 837-8833• Information department:technical CoordinatorSherman Nelson sherman @aquasolutions.org• Emergency telephone number:Chemitre: 800-424-9300Canutec: 613-996-6666 <b>2 Hazard(s) identification</b> • Classification of the substance or mixture• • • • • • • • • • • • • • • • • • •	· Product identifier	111111111
$ \begin{array}{llllllllllllllllllllllllllllllllllll$		<b>OFITE</b> .
Manufacturer/Supplier:         OFI Testing Equipment Inc.         11302 Steeplecrest Dr.         Houston, TX 77065         (S77) 837-8833         Information department:         technical Coordinator         Sherman Nelson sherman@aquasolutions.org         Emergency telephone number:         Chemrice: 800/He.com         Chemrice: 800/He.com         Chemrice: 800-242-9300         Canutec: 613-996-6666         Chemrice: 800-242-9300         Canutec: 613-996-6666         Classification of the substance or mixture         Over         Orall Statiant of the substance or mixture         Over         GHS08 Health hazard         Care: 1A       H350 May cause cancer.         Skin Corr. 1A       H314 Causes severe skin burns and eye damage.         Eye Dam. 1       H318 Causes serious eye damage.         -Label elements       Hord the substance or labeling:         GHS label elements       The product is classified and labeled according to the Globally Harmonized System (GHS)         Hazard Jetcerning components of labeling:       Sulfuric Acid 96 - 98%         Signal word Danger       Hazard-determing components of labeling:         Sulfuric Acid 96 - 98%       Hazard-determing components of labeling:		
techservices @offic.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canute:: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture $\overbrace{vvv}$ GHS08 Health hazard Care. IA H350 May cause cancer. $\overbrace{vvv}$ GHS05 Corrosion Skin Corr. IA H314 Causes severe skin burns and eye damage. Eye Dam. I H318 Causes serieus eye damage. • Label elements • GHS05 Corrosion Skin Corr. IA H314 Causes serieus eye damage. • Label elements • GHS label elements • GHS0 bel eleme	• Manufacturer/Supplier: OFI Testing Equipment Inc. 11302 Steeplecrest Dr. Houston, TX 77065	
<ul> <li>Classification of the substance or mixture</li> <li>GHS08 Health hazard</li> <li>Carc. 1A H350 May cause cancer.</li> <li>GHS05 Corrosion</li> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS tabel elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> <li>Hazard pictograms</li> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements <ul> <li>Causes severe skin burns and eye damage.</li> <li>Fracaution components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements <ul> <li>Causes severe skin burns and eye damage.</li> <li>Fracaution special instructions before use.</li> </ul> </li> </ul></li></ul>	techservices@ofite.com Technical Coordinator Sherman Nelson sherman@aquasolutions.org • <b>Emergency telephone number:</b> Chemtrec: 800-424-9300	
GHS08 Health hazardCarc. 1AH350 May cause cancer. $\widehat{\psi}$ GHS05 CorrosionSkin Corr. 1A H314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.• Label elements• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).• Hazard pictograms $\widehat{\psi}$ • GHS05• GHS05 <tr< td=""><td>2 Hazard(s) identification</td><td></td></tr<>	2 Hazard(s) identification	
Variable Carc: 1AH350 May cause cancer. $\widehat{Var}$ GHS05 CorrosionSkin Corr. 1A H314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.• Label elements• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).• Hazard pictograms $\widehat{Var}$ $\widehat{Var}$ • GHS05• GHS05• GHS05• GHS05• GHS05• GHS08• Signal word Danger• Hazard-determining components of labeling: Sulfuric Acid 96 - 98%• Hazard statements Causes severe skin burns and eye damage. May cause cancer.• Precautionary statements Obtain special instructions before use.	· Classification of the substance or mixture	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.         Eye Dam. 1 H318 Causes serious eye damage.         • Label elements         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)         • Hazard pictograms         • GHS05         • GHS08         • Signal word Danger         • Hazard-determining components of labeling: Sulfuric Acid 96 - 98%         • Hazard statements Causes severe skin burns and eye damage. May cause cancer.         • Precautionary statements Obtain special instructions before use.	GHS08 Health hazard	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.         Eye Dam. 1 H318 Causes serious eye damage.         • Label elements         • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).         • Hazard pictograms         • GHS05         • GHS08         • Signal word Danger         • Hazard-determining components of labeling: Sulfuric Acid 96 - 98%         • Hazard statements Causes severe skin burns and eye damage. May cause cancer.         • Precautionary statements Obtain special instructions before use.	Carc. 1A H350 May cause cancer.	
<ul> <li>Skin Corr. 1A H314 Causes severe skin burns and eye damage.</li> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> <li>Hazard pictograms</li> <li> Figure 6 </li> <li>GHS05 GHS08</li> <li>Signal word Danger </li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage. May cause cancer.</li> <li>Precautionary statements Obtain special instructions before use.</li> </ul>		
<ul> <li>Eye Dam. 1 H318 Causes serious eye damage.</li> <li>Label elements <ul> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> <li>Hazard pictograms</li> </ul> </li> <li> <ul> <li>GHS05 GHS05</li> <li>GHS08</li> </ul> </li> <li> <li> <ul> <li>Signal word Danger</li> </ul> </li> <li> <ul> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> </ul> </li> <li> <ul> <li>Hazard statements</li> <li>Causes severe skin burns and eye damage. May cause cancer.</li> <li> <ul> <li>Precautionary statements</li> <li>Obtain special instructions before use.</li> </ul> </li> </ul></li></li></ul>	GHS05 Corrosion	
<ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> <li>Hazard pictograms</li> <li></li></ul>	Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
<ul> <li>GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS)</li> <li>Hazard pictograms</li> <li> GHS05 GHS05 GHS08 </li> <li> Signal word Danger </li> <li> Hazard-determining components of labeling: Sulfuric Acid 96 - 98% </li> <li> Hazard statements Causes severe skin burns and eye damage. May cause cancer. Precautionary statements Obtain special instructions before use.</li></ul>	Eye Dam. 1 H318 Causes serious eye damage.	
<ul> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage. May cause cancer.</li> <li>Precautionary statements Obtain special instructions before use.</li> </ul>	$\cdot$ GHS label elements The product is classified and labeled according to the G	Globally Harmonized System (GHS)
<ul> <li>Signal word Danger</li> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage. May cause cancer.</li> <li>Precautionary statements Obtain special instructions before use.</li> </ul>		
<ul> <li>Hazard-determining components of labeling: Sulfuric Acid 96 - 98%</li> <li>Hazard statements Causes severe skin burns and eye damage. May cause cancer.</li> <li>Precautionary statements Obtain special instructions before use.</li> </ul>	GHS05 GHS08	
Sulfuric Acid 96 - 98% • Hazard statements Causes severe skin burns and eye damage. May cause cancer. • Precautionary statements Obtain special instructions before use.	· Signal word Danger	
<ul> <li>Hazard statements <ul> <li>Causes severe skin burns and eye damage.</li> <li>May cause cancer.</li> </ul> </li> <li>Precautionary statements <ul> <li>Obtain special instructions before use.</li> </ul> </li> </ul>		
Causes severe skin burns and eye damage. May cause cancer. • <b>Precautionary statements</b> Obtain special instructions before use.		
• <i>Precautionary statements</i> Obtain special instructions before use.	Causes severe skin burns and eye damage.	
Obtain special instructions before use.		

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 1) Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH \*3 *Health* = \*3 FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

0.1%

99.9%

US -

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 mg/m^3$
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>
· PAC-3:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

- $\cdot$  Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

(Contd. of page 2)

US -

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 3)

• *Specific end use(s) No further relevant information available.* 

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m<sup>3</sup>

REL Long-term value: 1 mg/m<sup>3</sup>

TLV Long-term value: 0.2\* mg/m<sup>3</sup>

\*as thoracic fraction

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### • Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 5)

US -

Printing date 04/05/2021

Reviewed on 04/05/2021

(Contd. of page 4)

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor: Odor threshold:	Odorless Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
	~2
Change in condition	0.90 (22.95)
Melting point/Melting range: Boiling point/Boiling range:	0 °C (32 °F) 100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00084 g/cm <sup>3</sup> (8.35201 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	99.9 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 04/05/2021

Reviewed on 04/05/2021

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 5)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- CAS: 7664-93-9 Sulfuric Acid 96 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

# **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Not hazardous for water.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

1

Κ

Printing date 04/05/2021

Reviewed on 04/05/2021

#### Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 6)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	<b>I of</b> Not applicable.	
· UN "Model Regulation":	Not regulated	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Sulfuric Acid 96 - 98%	ACTIVE
	(Contd. on page 8

Printing date 04/05/2021

Reviewed on 04/05/2021

#### Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Sulfuric Acid 96 - 98% · Hazard statements Causes severe skin burns and eye damage. May cause cancer. · Precautionary statements *Obtain special instructions before use.* Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.

(Contd. on page 9)

<sup>-</sup> US

Printing date 04/05/2021

Store locked up.

Reviewed on 04/05/2021

Trade name: Sulfuric Acid 0.02 Normal (N/50) NIST Traceable Solution

(Contd. of page 8)

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision Revision 0.0, 03-17-2021: Creation date for SDS. STN Revision 0.2, updated pH Information. STN Revision 0.1, 05-05-2015: revised to correct emergency contact and technical contact information. STN Revision 1.1, 07-24-2019: updated product description. STN 04/05/2021 / 1.2 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 1A: Carcinogenicity - Category 1A  $\cdot$  \* Data compared to the previous version altered.